

Mid-Atlantic Indoor Network 2018 Contest Site Information

Please provide the following information about your event. It will be published on

MAIN's website.

Competition Site Information: (please type in the gray area)

Contest Host: Matawan HS
Competition Site Name: Matawan hs
Complete Address: 450 Atlantic Ave., Aberdeen, NJ 07747

Are you planning on using Tablets at your show? (This will require extra work and advance coordination on the part of the show host. MAIN will pay the Digital Tech fee for all Tablet shows in 2018.) **YES** **NO**

COMPETITION AREA MEASUREMENTS & INFO (Please do all measurements in feet & inches.)

Number of rows Spectator side of bleachers: Seating capacity: 360

Number of rows Backside of bleachers (if applicable): Seating capacity: 360

Approximate ceiling height: 24 feet up to lights


Any permanent obstructions above the competition floor (immovable hoops, lights, scoreboard, etc.)? nox

Separate entry & exit doors for spectators? **YES** **NO**

Is the performance entry door separate from performance exit door? **YES** **NO**

If no, please explain how you enter and exit the performance floor without cross traffic.

If the back bleachers will be extended, please extend them out and then do the measurement. If they will not be extended, then measure to the bleachers.



Measurement of side wall to side wall (length of entire gym): 100 feet by 90 feet, 66 feet with both sets of bleacherextended

Measurement of front row of bleachers to back sideline bleachers (if used): 17 feet

Are there any stairways within the flow of contest traffic? **YES** **NO**

If yes, please explain where they are located and how they will affect the flow of traffic for the competing groups.
bottom equip gym to performance gym

Do you enter Competition Area directly from outdoors? **YES** **NO**

Performance Entry door width (inches): Is there a removable center bar? **YES** **NO**

Can it be removed for the event? **YES** **NO**

Do you exit Competition Area directly to outdoors? **YES** **NO**

Performance Exit door width (inches): 6 feet tall,7 feet wide Is there a removable center bar? **YES** **NO**

Can it be removed for the event? **YES** **NO**

Where is the electrical power located in your performance gym (check all that apply)?

Front Side **Back Side** **Side Walls** Other, please explain:

What, if any, indoor space is available to stage equipment, floors, props, etc. prior to competition? hallways

What, if any, indoor space is available to fold floors at the conclusion of a group's performance? Outside, main gym during intermission or after show

Will you have a tarp or floor covering down? **TARP** **FLOOR COVERING** **NONE**

The following photos of your main performance gym are required:

Please see example photos on WGI's website at www.wgi.org

**One photo of the performance floor from the spectator side of the bleachers, preferably with all bleachers extended as would be on the day of the show.

**One photo from the performance floor via the performer's perspective from the center of the floor.
Any other photos you would like to provide to help your facility stand out against others are also welcome.

WARM-UP AREAS INFORMATION (Please do all measurements in feet & inches.)

Are there separate areas for body and equipment? **YES** **NO**

Body Warm-Up (if applicable)

What type of area do you have available for body warm-up (wrestling room, band room, hallway)? lobby

Measurement of side wall to side wall (length of entire area): 53 feet

Measurement from front of area to back of area (width of entire area): 36 feet

Any obstructions **IN** the area (gym equipment, pillars, etc.)? **YES** **NO**

If yes, please list the obstructions:

Can any sound in the Body Warm-up Area be heard in Competition Area? **YES** **NO**

Distance from Body to Equipment in time (i.e. 2 minutes): 4min

Equipment Warm-Up

What type of area do you have available for equipment warm-up (gym, auditorium, commons area)? gym

Measurement of side wall to side wall (length of entire area): 83 feet

Measurement from front of area to back of area (width of entire area): 54 feet

Approximate ceiling height (VERY IMPORTANT): 20 feet,

Any obstructions **IN or ABOVE** above the area (gym equipment, pillars, immovable hoops)? **YES** **NO**

If yes, please list the obstructions:

Can any sound in the Equipment Warm-up Area be heard in Competition Area? **YES** **NO**

Distance to Competition Area from Equipment Warm-Up in time (i.e. 2 minutes): 4min

The following photos of your warm-up areas are required:

Body Warm-Up (if applicable)

Equipment Warm-Up

Any other photos you would like to provide to help your facility stand out against others are also welcome.

Other Information

Approximately how far are you from a major airport? 45 min

Are there full service hotel properties in your area? **YES** **NO**

Do you have access to two separate rooms for judges and tabulation where food service is allowed? **YES**
NO

Is there an adequate area for vendors and concessions (all vendors/concessions will be provided/booked by the show host, with the exception of MAIN Championships)? **YES** **NO**

Is there an adequate parking for a number of buses & trucks plus spectators? **YES** **NO**

Does your facility have a parking fee? **YES** **NO** Price \$

Do you have access to a sound system with mixing board, compact disc player, MP3/IPOD hookup, amplifier, speakers, etc.? **YES** **NO**

If no, please explain:

Additional Comments:

Please email completed form and pictures to Lauren Moffatt at **laurenm78@lycos.com