



Mid-Atlantic Indoor Network 2020 Contest Site Information

Please provide the following information about your event. It will be published on MAIN's website.

Competition Site Information: (please type in the gray area)

Contest Host: Washington Township Winter Guard
Competition Site Name: Washington Township High School
Complete Address: 529 Hurfville-Cross Keys Rd., Sewell, NJ 08080

Are you planning on using Tablets at your show? (This will require extra work and advance coordination on the part of the show host. MAIN will pay the Digital Tech fee for all Tablet shows in 2020.) **YES** **NO**

COMPETITION AREA MEASUREMENTS & INFO (Please do all measurements in feet & inches.)

Number of rows Spectator side of bleachers: 13 Seating capacity: 598

Number of rows Backside of bleachers (if applicable): 12 Seating capacity: 504

Approximate ceiling height: 21.5 ft at the highest points


Any permanent obstructions above the competition floor (immovable hoops, lights, scoreboard, etc.)? **Yes, There are Air Ducts and a divider curtain that hang approximately 5.5ft in some areas making most of the gym height about 16 ft.**

Separate entry & exit doors for spectators? **YES** **NO**

Is the performance entry door separate from performance exit door? **YES** **NO**

If no, please explain how you enter and exit the performance floor without cross traffic.

If the back bleachers will be extended, please extend them out and then do the measurement. If they will not be extended, then measure to the bleachers.



Measurement of side wall to side wall (length of entire gym): 94 Ft.

Measurement of front row of bleachers to back sideline bleachers (if used): 75 Ft

Are there any stairways within the flow of contest traffic? YES NO

If yes, please explain where they are located and how they will affect the flow of traffic for the competing groups.
NA

Do you enter Competition Area directly from outdoors? YES NO

Performance Entry door width (inches): 6 Ft wide by 6.5 Ft high Is there a removable center bar? YES NO

Can it be removed for the event? YES NO

Do you exit Competition Area directly to outdoors? YES NO

Performance Exit door width (inches): 1st door is 8ft wide by 7.5ft high and the 2nd door is 6ft wide and 8ft high
Is there a removable center bar? YES NO

Can it be removed for the event? YES NO

Where is the electrical power located in your performance gym (check all that apply)?

Front Side Back Side Side Walls Other, please explain:

What, if any, indoor space is available to stage equipment, floors, props, etc. prior to competition? we will be utilizing hallway space for staging of floor and props. Equipment should stay with the guard in the guard staging/holding area.

What, if any, indoor space is available to fold floors at the conclusion of a group's performance? we have access to our Auxiliary gym which is adjacent to the performance gym for floor folding and equipment wrap up.

Will you have a tarp or floor covering down? TARP FLOOR COVERING NONE

The following photos of your main performance gym are required:

Please see example photos on WGI's website at www.wgi.org

**One photo of the performance floor from the spectator side of the bleachers, preferably with all bleachers extended as would be on the day of the show.

**One photo from the performance floor via the performer's perspective from the center of the floor.

**Photos of ALL door ways that equipment and props will have to pass through along with door height and width measurements are now required. This includes all building entrance/exit doors that will be used, any doorways through halls, performance entry/exit.

Any other photos you would like to provide to help your facility stand out against others are also welcome.

WARM-UP AREAS INFORMATION (Please do all measurements in feet & inches.)

Are there separate areas for body and equipment? **YES** **NO**

Body Warm-Up (if applicable)

What type of area do you have available for body warm-up (wrestling room, band room, hallway)? **Gym**

Measurement of side wall to side wall (length of entire area): **100 Ft.**

Measurement from front of area to back of area (width of entire area): **63 Ft.**

Any obstructions **IN** the area (gym equipment, pillars, etc.)? **YES** **NO**

If yes, please list the obstructions: **na**

Can any sound in the Body Warm-up Area be heard in Competition Area? **YES** **NO**

Distance from Body to Equipment in time (i.e. 2 minutes): **2 min, right across the hall**

Equipment Warm-Up

What type of area do you have available for equipment warm-up (gym, auditorium, commons area)? **gym**

Measurement of side wall to side wall (length of entire area): **99 Ft.**

Measurement from front of area to back of area (width of entire area): **73 Ft.**

Approximate ceiling height (VERY IMPORTANT): **18.5 Ft. in most areas**

Any obstructions **IN or ABOVE** above the area (gym equipment, pillars, immovable hoops)? **YES** **NO**

If yes, please list the obstructions: **There are air ducts and a divider curtain that hang about 3 Ft down making some areas in the gym approximately 15.5 ft in height.**

Can any sound in the Equipment Warm-up Area be heard in Competition Area? **YES** **NO**

Distance to Competition Area from Equipment Warm-Up in time (i.e. 2 minutes): **It's approximately a 5 minute swift walk from the equipment warm up gym to the performance ready area. 8 minute interval time would be more than sufficient for most teams.**

The following photos of your warm-up areas are required:

Body Warm-Up (if applicable)

Equipment Warm-Up

Any other photos you would like to provide to help your facility stand out against others are also welcome.

Other Information

Approximately how far are you from a major airport? 30 minutes

Are there full service hotel properties in your area? YES NO

Do you have access to two separate rooms for judges and tabulation where food service is allowed? YES
NO

Is there an adequate area for vendors and concessions (all vendors/concessions will be provided/booked by the show host, with the exception of MAIN Championships)? YES NO

Is there an adequate parking for a number of buses & trucks plus spectators? YES NO

Does your facility have a parking fee? YES NO Price \$NA

Do you have access to a sound system with mixing board, compact disc player, MP3/IPOD hookup, amplifier, speakers, etc.? YES NO

If no, please explain:

Additional Comments: In the performance gym, we will be utilizing front spectator bleachers and side bleachers for the units. This will allow more front to back range for the performance area. Therefore, information listed for the "back bleachers" in this paperwork is truly for the "side bleachers" in our performance gym.

**Please email completed form and pictures to Lauren Moffatt at laurenm78@lycos.com