



# Mid-Atlantic Indoor Network Venue Information Form

Please provide the following information about your event. This form will be published on MAIN's website.

## **Competition Site Information:** (please type in the gray area)

**Contest Host:** Bridgewater Raritan High School

**Competition Site Name:** Bridgewater Raritan High School

**Complete Address:** 600 Garretson Road Bridgewater, NJ 08807

## **COMPETITION AREA MEASUREMENTS & INFO** (Please do all measurements in feet & inches.)

Number of rows Spectator side of bleachers: 15 Seating capacity: 850 +judges' area

Two sets of bleachers will be open at either end of the gym for guard and additional spectator seating for an additional 1,000 seats.

Number of rows Backside of bleachers: Seating capacity: The back bleachers will not be opened.


Approximate ceiling height: 35 feet

Any permanent obstructions above the competition floor (immovable hoops, lights, scoreboard, etc.)? NO


Separate entry & exit doors for spectators? **YES X** **NO** ☐

Is the performance entry door separate from the performance exit door? **YES X** **NO** ☐

If no, please explain how you enter and exit the performance floor without cross traffic.



**If the back bleachers will be extended, please extend them out and then do the measurement. If they will not be extended, then measure to the bleachers.**



Measurement of side wall to side wall (length of entire gym): 116' with both side bleachers opened

Measurement of opened front row of bleachers to back sideline bleachers (closed): 87'

Are there any stairways within the flow of contest traffic? **YES X** **NO** ☐

If yes, please explain where they are located and how they will affect the flow of traffic for the competing groups.  
Several short steps leaving one building

Do you enter the Competition Area directly from outdoors? **YES** ☐ **NO X** The competition area is accessed by crossing a hallway from the warm up spaces.

Performance Entry door width X height (inches): 7 ft x 7ft Is there a removable center bar? **YES** ☐ **NO X**

Can it be removed for the event? **YES** ☐ **NO** ☐ **Not applicable**

Do you exit the Competition Area directly to the outdoors? **YES** ☐ **NO X**

Performance Exit door width X height (inches): 7 ft x 7 ft Is there a removable center bar? **YES** ☐ **NO X**

Can it be removed for the event? **YES** ☐ **NO** ☐ **Not applicable**

Where is the electrical power located in your performance gym (check all that apply)?

**Front Side X** **Back Side X** **Side Walls X** See diagram for locations. Other, please explain:

What, if any, indoor space is available to stage equipment, floors, props, etc. prior to competition? Smaller cafeteria where groups will sign in.

What, if any, indoor space is available to fold floors at the conclusion of a group's performance? Part of our second gym. 46 feet x 68 feet This will also be an optional post-performance prop/floor storage.

Will you have a tarp or floor covering down? **TARP** ☐ **FLOOR COVERING** ☐ **NONE X**

***The following photos of your main performance gym are required***

***Performance Gym: Upon entering***



## *Performance Gym: Performer's Perspective*





*Performance Gym: Judge's Perspective*



**WARM-UP AREAS INFORMATION** *(Please do all measurements in feet & inches.)*

Are there separate areas for body and equipment? **YES** ☒ **NO** ☐

**Body Warm-Up:**

What type of area do you have available for body warm-up (wrestling room, band room, hallway)? Portion of our second gym

Measurement of side wall to side wall (length of entire area): 28 feet

Measurement from front of area to back of area (width of entire area): 70 feet

Any obstructions **IN** the area (gym equipment, pillars, etc.)? **YES** ☐ **NO** ☒

If yes, please list the obstructions:

Can any sound in the Body Warm-up Area be heard in Competition Area? **YES** ☐ **NO** ☒

Distance from Body to Equipment in time (i.e. 2 minutes): Less than one minute. It is in an adjacent space in the gym.

**Body Warm-Up Space: (wrestling mats will not be there)**



## Equipment Warm-Up

What type of area do you have available for equipment warm-up (gym, auditorium, commons area)? A portion of our second gym.

Measurement of side wall to side wall (length of entire area): 46 feet

Measurement from front of area to back of area (width of entire area): 68 feet

Approximate ceiling height (VERY IMPORTANT): 20-25 feet

Any obstructions **IN or ABOVE** above the area (gym equipment, pillars, immovable hoops)? **YES** ☐ **NO** ☒

If yes, please list the obstructions:

Can any sound in the Equipment Warm-up Area be heard in Competition Area? **YES** ☐ **NO** ☒

Distance to Competition Area from Equipment Warm-Up in time (i.e. 2 minutes): 2 minutes

## Equipment Warm-Up Space



**Other Information**

Approximately how far are you from a major airport? 33.5 Miles to Newark International Airport

Are there full service hotel properties in your area? **YES X** **NO** ☐

Do you have access to two separate rooms for judges & tabulation where food service is allowed? **YES X** **NO** ☐

Is there an adequate area for vendors and concessions (all vendors/concessions will be provided/booked by the show host, with the exception of MAIN Championships)? **YES X** **NO** ☐

Is there adequate parking for a number of buses & trucks plus spectators? **YES X** **NO** ☐

Does your facility have a parking fee? **YES** ☐ **NO X** Price \$

Do you have access to a sound system with mixing board, compact disc player, MP3/IPOD hookup, amplifier, speakers, etc.? **YES X** **NO** ☐

If no, please explain:

**Additional Comments:**

**\*\*Please email completed form and pictures to the Executive Board at  
maincolorguards@gmail.com**